



**GRIN<sup>®</sup>**

CAMBIA LA TUA PROSPETTIVA

**CATALOGUE**

**2022**

[www.mygrin.eu](http://www.mygrin.eu)





## #changeyourperspective

GRIN was founded in 2005 to change the perspective of garden maintenance.

The creation and the development of our products have a common philosophy as guideline:

- To improve the quality of life
- To innovate and simplify
- To propose sustainable solutions

**Discover the GRIN R-evolution !**



CAMBIA LA TUA PROSPETTIVA

#### GRIN GUARANTEES



**18**

**Models**

aimed to meet your  
every need.



**600**

**Authorised  
dealers**

to advise and help you.



**70.000**

**Satisfied  
customers**

who use GRIN lawn mowers.



Check out the pictures of the gardens mowed with GRIN and read the customer's reviews:

[www.mygrin-garden.com](http://www.mygrin-garden.com)

# INDEX



## 1. GRIN R-EVOLUTION

- How it works ..... pag. 8
- The GRIN gardens ..... pag. 12
- Ask the expert | GRIN vs mulching ..... pag. 14
- Ask the expert | Leaves are transformed into fertilizer ..... pag. 16

## 2. INNOVATION, SIMPLICITY, CONVENIENCE

- **HIGHLIGHTS | INNOVATION** ..... pag. 20
- Foldable handlebar
- Anti-vibration quick regulator
- Height adjustment lever
- Frame designed for transport
- Easy starter
- Electric starter

## 3. PRODUCTS BUILT TO LAST

- **HIGHLIGHTS | CONSTRUCTION** ..... pag. 24
- Mowing deck
- Frame
- Blade
- Wheels
- Traction
- Axles
- Engine protection cone ..... pag. 26
- Briggs & Stratton engines ..... pag. 28
- Kawasaki engines ..... pag. 29



# #changeyourperspective

## 4. WE HELP YOU CHOOSING YOUR GRIN

- Selection guide ..... pag. 32
- The full range ..... pag. 34
- Ask the expert ..... pag. 36

## 5. THE GRIN RANGE

- **EM range** ..... pag. 40
- **HM range** ..... pag. 44
- **BM range** ..... pag. 60
- **BRIGGS & STRATTON PM range** ..... pag. 70
- **KAWASAKI PM range** ..... pag. 80
- Summary data sheet ..... pag. 86
- **RM range** ..... pag. 88

## 6. GRIN IS ALWAYS BY YOUR SIDE

- The GRIN company ..... pag. 94







# 1.

## GRIN R-EVOLUTION

How it works •

The GRIN gardens •

Ask the expert |

GRIN vs mulching •

Ask the expert |

Leaves are transformed into fertilizer •



# How it works



✓ IT PULVERISES GRASS

✓ IT MOWS TALL GRASS

✓ IT IMPROVES YOUR LAWN



The patented mowing system - MOWING, NO GRASS BAG, NO WASTE - developed by GRIN pulverizes grass while mowing. With GRIN there is no need to collect the grass, store it and dispose of it.

The mowed grass remains suspended for a few fractions of a second inside the patented GRIN mowing deck. It is centrifuged and pulverized, thanks to the vortex created by the patented GRIN blade combined with the effect of a GRIN helix disc.

In this way the grass loses most of its volume and is pulverized into tiny little and virtually invisible particles. These particles fall directly onto the soil (they do not remain on the surface of the lawn!) and are absorbed in a very short time.

GRIN optimally processes the grass inside the mowing deck, pulverizing everything into extremely fine particles, which become an excellent fertilizer for your lawn!

Under normal conditions, the lawn looks identical to the one mowed with a mower with grass bag.

The mowing deck is so voluminous and smooth that no accumulation and clogging problems are encountered during mowing, which are typical of machines with grass bag, instead.

All GRIN mowers are built with a special frame, solely designed for this type of mowing. The GRIN frame optimizes the performance of the patented mowing system and ensures excellent results even in particularly difficult mowing conditions: tall grass, wet grass, uneven terrain etc.




FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**




**#changeyourperspective**



## HOW IT WORKS




1. GRIN mows the grass and **PULVERIZES** it
2. The grass is absorbed as **FERTILIZER**
3. The **FERTILIZER** makes your lawn more beautiful!



## THE ADVANTAGES

1. Quicker and easier maintenance
2. No waste to be disposed of
3. Less weeds
4. Lower use of fertilizers and water

# In any conditions... a perfect lawn!



**MOWING  
NO GRASS BAG  
NO WASTE**



#changeyourperspective





# TEST DRIVE GRIN



**IT PULVERISES  
GRASS**



**IT MOWS TALL  
GRASS**



**IT IMPROVES  
YOUR LAWN**

**WOULD YOU LIKE TO TEST GRIN?**



## TEST DRIVE



Contact us at :

**+39.039.95.51.98**



Find the closest  
dealer

**[www.mygrin.eu](http://www.mygrin.eu)**



Follow us and find  
out all the events





## 1. GRIN R-EVOLUTION



# The GRIN gardens

CHECK OUT ALL THE  
PICTURES ON



[www.mygrin-garden.com](http://www.mygrin-garden.com)



Name: **Ginette**

Country: **The Netherlands**

Garden size: **400 m<sup>2</sup>**

GRIN model used: **EM37**

I LOVE GRIN BECAUSE:

**"Acceptable noise level, mows well and light in use, easy to move around and reduces the grass in fine particles (extra nutrition for the lawn). Delivers what it promises."**

MY OPINION ON GRIN



Name: **Fabio**

Country: **Italy**

Garden size: **700 m<sup>2</sup>**

GRIN model used: **BM46**

I LOVE GRIN BECAUSE:

**"Powerful, quiet and very fast."**

MY OPINION ON GRIN



Name: **Thierry**

Country: **France**

Garden size: **1500 m<sup>2</sup>**

GRIN model used: **HM46A**

I LOVE GRIN BECAUSE:

**"I no longer go to the dump, my garden became more beautiful etc."**

MY OPINION ON GRIN





## 70.000 customers have chosen **GRIN mowing system**



Name: **Benedetta**

Country: **Italy**

Garden size: **3000 m²**

GRIN model used: **PM53A**

I LOVE GRIN BECAUSE:

**"It's a fantastic machine!  
I mow my garden in a very short  
time. Mowing is a pleasure now.  
Thank you GRIN!"**

MY OPINION ON GRIN



Name: **Francis**

Country: **France**


Garden size: **500 m²**

GRIN model used: **BM46-82V**

I LOVE GRIN BECAUSE:

**"For its maneuverability, its  
robustness and the mowing  
effectiveness, without forgetting  
its silence and an almost zero  
maintenance!"**

MY OPINION ON GRIN



Name: **Jean-Pascal**

Country: **France**

Garden size: **2500 m²**

GRIN model used: **PM53**

I LOVE GRIN BECAUSE:

**" Ideal to mow leaves in  
autumn and especially to  
not go to the dump in  
summer!"**

MY OPINION ON GRIN





# Ask the expert



WATCH ALL THE TECHNICAL VIDEOS  
ON GRIN YOUTUBE CHANNEL

### • DOES GRIN DAMAGE THE LAWN?

**NO.** GRIN pulverizes grass into very fine particles, which do not remain on the surface of the lawn damaging it. Instead they fall directly onto the soil ready to be absorbed as fertilizer. Both professionals and private users have been using GRIN for many years to maintain gardens.

### • WHAT HAPPENS TO THE PULVERIZED GRASS BY GRIN?

**IT BECOMES A FERTILIZER.** The grass pulverized by GRIN is absorbed by the soil thanks to the microorganisms and humidity. The nutrient-rich grass becomes a natural and valuable fertilizer for the lawn. Being composed of 80% water, grass releases moisture, reducing the water supply needed for your lawn by 20%.

### • HOW TALL SHOULD BE THE GRASS TO BE MOWED BY GRIN?

**IT IS NOT NECESSARY TO MOW MORE OFTEN.** With GRIN there is no need to mow more often than with a mower with grass bag. Mowing heights do not change much, as well. To optimize grass pulverization, mow medium tall grass every 10-15 days. GRIN is also effective in tall grass (over 20/30 cm), even if the pulverization is less fine.

### • CAN I MOW ALL TYPE OF GARDENS WITH GRIN?

**YES.** GRIN is suitable for both well-maintained and rustic lawns. On the website [www.mygrin-garden.com](http://www.mygrin-garden.com) you can find some pictures of gardens maintained with GRIN and notice the effectiveness of GRIN on the different type of lawns. In case of doubts, contact one of our dealers to perform a free TEST-DRIVE.

### • IS THE GRIN MOWING SYSTEM DIFFERENT FROM THE TRADITIONAL MULCHING?

**YES, THEY ARE VERY DIFFERENT.** Both systems are characterized by mowing without grass bag, but GRIN has many advantages:

- **PULVERIZATION of grass**, without leaving large residues on the lawn surface, which can hardly be absorbed.
- **Mowing of TALLER GRASS**, without therefore being obliged to mow too often.
- **Effectiveness** even in case of **WET GRASS**.


THESE FEATURES ARE ESSENTIAL, WHERE CLIMATIC CONDITIONS FAVOR A RAPID GROWTH OF GRASS LIKE IN EUROPE.



# GRIN vs MULCHING



WATCH THE VIDEO  
GRIN vs MULCHING




## • YOU CAN'T SEE THE PULVERIZED GRASS ON TOP OF THE LAWN

Under normal mowing conditions, GRIN pulverizes grass so fine that it falls through the grass directly onto the soil, to be absorbed as natural fertilizer.

In this way, the aesthetic result of mowing with GRIN is similar to the one obtained with a mower with grass-bag. Under similar mowing conditions, conventional mulching merely cuts grass, which remains on the surface of the lawn, making absorption by the soil difficult.

**The risk of grass accumulation and lawn suffocation is therefore very high.** Moreover, when it dries up, it remains visible on top of the lawn, looking unaesthetic.




## • THE GRIN MOWING DECK MOWS ALSO TALL GRASS

The GRIN mowing deck is about 30% higher than conventional mulching machines. The shape and the position of the blade make the volume of a GRIN mowing deck about 50% larger than conventional mulching machines.

This means that a GRIN mower can mow more grass and for a longer period, without getting overloaded.

**Therefore, GRIN performs much better in medium-tall grass than a conventional mulching system.**



## • THE GRIN BLADE CENTRIFUGES THE MOWED GRASS

The GRIN mowing system consists of a patented blade with a particular shape and made of a special material. The blade is assembled with a patented helix disc in a specific position inside the mowing deck. These two components, combined with the shape of the mowing deck, create a vortex with centrifugal effect, which keeps the grass suspended in air for a long time to be pulverised in fine particles.

The mowing system of a mulching machine normally consists of a curved blade that cuts the grass into several segments, the first time during mowing and then when the cut segment falls down.

When the length of the grass to mow exceeds 8-10 cm, the cut segments remain long and visible.





## Ask the expert



WATCH THE VIDEO OF  
GRIN ON LEAVES



### • Leaves are transformed into fertilizer.

The patented mowing system – MOWING, NO GRASS BAG, NO WASTE – developed by GRIN is also effective with leaves. The leaves are ground inside the mowing deck and transformed into fertilizer for your lawn.

If the leaves are fine ground by the GRIN system, they become an excellent nourishment for the lawn because they are rich of carbon. The night humidity and the microorganisms of the terrain help the absorption, so that the soil becomes more fertile and consequently more beautiful.

In this way, there is no need to waste time and effort in collecting the leaves and disposing of them.





# DEMO DAY GRIN



✓ MEET GRIN  
TECHNICIANS

✓ FIND OUT THE SECRETS OF  
THE MOWING SYSTEM

✓ FIND THE RIGHT MODEL FOR  
YOUR GARDEN



## FIND OUT THE GRIN EVENTS AND JOIN US!

[www.mygrin.eu](http://www.mygrin.eu)



FIND OUT MORE!









# 2.

## INNOVATION SIMPLICITY CONVENIENCE

### HIGHLIGHTS | INNOVATION

- Foldable handlebar •
- Anti-vibration quick regulator •
- Height adjustment lever •
- Frame designed for transport •
- Easy starter •
- Electric starter •



# Highlights



## INNOVATION

01. FOLDABLE HANDLEBAR



02. ANTI-VIBRATION QUICK REGULATOR



03. CENTRALIZED MOWING HEIGHT ADJUSTMENT



# INNOVATION, SIMPLICITY, CONVENIENCE



### 04. FRAME DESIGNED FOR TRANSPORT



### 05. EASY STARTER



### 06. ELECTRIC STARTER



### 01. FOLDABLE HANDLEBAR

Thanks to two easy levers, it is possible to fold the handlebar for storage in little space and an easy transport. With folded handlebar, GRIN can be put vertically to clean the mowing deck or to be stored in garage\*

\*The electric models and the models equipped with MOW N' STOW combustion engine can be stored vertically for a long period (even with full tanks)

### 02. ANTI-VIBRATION QUICK REGULATOR

Two sturdy Nylon regulators allow the adjustment of the handlebar height according to the one of the user. GRIN has also studied a vibration absorption system inside the new regulators to grant much more comfort in case of intensive use.

### 03. CENTRALIZED MOWING HEIGHT ADJUSTMENT

The rapid height adjustment on the four wheels is possible using a single lever. With a single movement, it is possible to set the desired height quickly and easily.

### 04. FRAME DESIGNED FOR TRANSPORT

The GRIN frame has an ergonomic shape designed to improve the maneuverability of the mower and is suitable for transport. Two handles allow the user to lift the machine easily in case of stairs or inconvenient areas of the garden. With folded handlebar, GRIN can also fit in the smaller cars to be easily transported.

### 05. EASY STARTER

The high range equipment of the GRIN motors allow an effortless and immediate start. New technologies make the use easy and intuitive by minimizing ordinary maintenance operations.

### 06. ELECTRIC STARTER

Just a button is necessary to start the GRIN models with combustion engine of the INSTART range and the electric ones of the EM and BM range. A simple press of the starter is enough to be ready to mow: quick, easy and effective.









# 3.

## PRODUCTS BUILT TO LAST

### HIGHLIGHTS | CONSTRUCTION

Mowing deck •

Frame •

Blade •

Wheels •

Traction •

Axles •

Engine protection cone •

Briggs & Stratton engines •

Kawasaki engines •



# Highlights

## CONSTRUCTION



**01. STEEL MOWING DECK**



**02. STEEL FRAME**



**03. PATENTED BLADE**



# PRODUCTS BUILT TO LAST



#### 04. STEEL WHEELS



#### 05. SUSPENDED TRACTION



#### 06. REINFORCED AXLES



#### 01. STEEL MOWING DECK

The mowing deck is completely smooth and manufactured with a 3 mm thick, powder coated steel.

This provides sturdiness and allows a proper centrifuge of the grass.

#### 02. STEEL FRAME

The supporting frame is manufactured with a steel tube, which is welded to the mowing deck to form a unique solid part (registered utility model).

This increases the overall strength and rigidity of the lawnmower and helps reducing vibration.

#### 03. PATENTED BLADE

The patented blade is manufactured with a special production process, which enhances strength and durability.

The material thickness and the sharpening method assure a 3/4 times longer life span than conventional blades.

#### 04. STEEL WHEELS

The wheels with steel rim and hub are manufactured to last over time.

The double ball bearings grant ease of movement even on extremely difficult terrain. The treads have been designed to meet the need of every model and user.

#### 05. SUSPENDED TRACTION

The traction in oil bath in aluminum casing works in suspension reducing the load on the drive axles.

The drive belt is completely protected by a specific cover. It tends automatically with the movement of the traction, thus minimizing the wear.


#### 06. REINFORCED AXLES

The steel axles are characterized by sections of reinforced tube to grant impact resistance and an efficient mowing even after years of use.

# Engine protection cone



WATCH THE VIDEO OF  
THE **ENGINE PROTECTION  
CONE** SYSTEM



THE **ENGINE PROTECTION CONE** OFFERS PROTECTION WHEN THE BLADE ACCIDENTALLY HITS AN OBSTACLE WHILE MOWING (SUCH AS A STONE, ROOT OR OTHER).

**Have you ever hit a stone with your lawn mower and damaged the crankshaft?**

These kind of accidents may cause serious mechanical problems. For this reason, **GRIN** has introduced a device called **ENGINE PROTECTION CONE** to minimize these risks.

**This device offers protection when the blade accidentally hits an obstacle while mowing (such as a stone, a root or something else).** To better understand how it works, we suggest you watch the explanatory video.

**The steel cone, in combination with the GRIN chassis, absorbs the hit and minimizes the risks of damage.** Should the blade hub break, its replacement is easy, quick and low-cost. The user can directly carry it out.

**The ENGINE PROTECTION CONE is recommended for uneven terrains or for any distracted user,** who easily runs into this kind of accidents.

**The ENGINE PROTECTION CONE is fitted as standard on the GRIN Professional range\*** and is optionally available for the other models.

\* PM46A, PM53A, PM46A IS, PM53A IS, PM53A KW, SPM53A KW, BM46-82V, BM46A-82V





**GRIN GIVES YOU FOR FREE THE **GUARANTEE**  
**EXTENSION UP TO 3 YEARS.****

Register **your Grin** on [www.mygrin.eu](http://www.mygrin.eu)



FIND OUT MORE!

# Briggs & Stratton engines



The American company Briggs & Stratton is the world-leading manufacturer of combustion engine for lawn mowers and other gardening and industrial applications. With over 100 years of history, Briggs & Stratton offers a dense, worldwide network of technical support with more than 40.000 workshops and authorized dealers.

In the last years, the Briggs & Stratton engines fitted on the GRIN lawn mowers have revolutionized the market by introducing some user-friendly technical innovations. In particular the systems Ready Start, IS Instart, Mow n' Stow and the brand new 82V lithium ion battery powered motor.



#### EXI SERIES ReadyStart



The EXi series engines offer the perfect combination of power, performance and ease of use. These engines feature the ReadyStart® system, which makes it extremely easy to start the engine.

Manually starting with a primer or air intake adjustment is no longer necessary. It is enough to pull the cord a couple of times and the motor starts right away.

\*FITTED ON MODELS

HM37 / HM46 / HM46A / HM53A / PM46A / PM53A



#### IS INSTART




A conventional lawn mower is started up thousands of times by pulling the starter cord. GRIN machines equipped with the Briggs & Stratton engine with IS Instart system feature instead electric start-up with a push of a button. A lithium ion battery, fitted directly on the engine, assures immediate and effortless start. Charging the battery is simple and easy, thanks to an external battery charger.

\*FITTED ON MODELS

HM46 IS / HM46A IS / HM53A IS / PM46A IS / PM53A IS



#### MOW N'STOW



Thanks to the Mow N' Stow system, the lawnmower can be stored in vertical position after each use, thus saving the 70% of ground space and allowing an easy access to the mowing system.

These engines have specific technical features designed to avoid leaks of petrol and oil, when the lawnmower is put vertically.

\*FITTED ON MODELS

HM37 / HM46 / HM46A / HM53A / HM46 IS / HM46A IS / HM53A IS



#### 82V LITHIUM-ION



The brand new 82V Lithium-Ion battery powered motor combines the convenience and simplicity of an electric motor with the power of a combustion engine. Allowing an easier, more convenient and eco-friendly maintenance of your garden, this new technology marks a turning point in our industry.

\*FITTED ON MODELS

BM37-82V / BM46-82V / BM46A-82V



# Kawasaki engines



Kawasaki Engines has been producing professional engines for turf care for over 60 years.

With an engineering heritage firmly **focused on excellence and innovation**, Kawasaki Engines have earned a reputation for supplying some of **the highest quality and most dependable engines in the world**.



The FJ180V KAI engine with pressurised lubrication to mow on slopes is fitted on the models GRIN PM53A KW and SPM53A KW.

## WHY DID WE CHOOSE IT?

### Designed for durability

**Strength and resilience is built into every FJ engine.** From the tough combined crankcase design to hard-wearing chrome plated piston rings and cast iron cylinder liners. **Quality bearings ensure high engine loads can be sustained for a longer period of time.** The tough metal shroud gives maximum protection and durability.

### Exceptional reliability

**Professionals can rely on a dependable start for every job thanks to the heavy duty recoil starter.** For long-term reliable performance, air filters are dual element and high particle capture, and engine cooling systems are protected by the rotating chopper screen that prevents grass debris build-up.

### Performance and productivity

**Cut easily through tough grass thanks to the heavy-duty, high inertia flywheel.** Uneven ground, variable angles and slopes are tackled easily and reliably due to our high-efficiency pressurised lubrication system. **A low noise fan and low tone muffler make long days more comfortable, boosting operator productivity.**

### Decreased downtime

**Kawasaki made air filters ultra-easy to access**, no tools required, allowing operators to make simple maintenance checks on the job.









# 4.

## WE HELP YOU CHOOSING YOUR GRIN

Selection guide ·

The full range ·

Ask the expert ·





## Selection guide



**GRIN offers a complete range of products that fit the requirements of every garden.**

**It's important to choose the right lawn mower: GRIN will accompany you for many years to come!**

Remember that GRIN does not have a grass bag.  
This makes it lighter and more maneuverable than the lawn mowers you have used until today.

### 1 - CHOOSE THE RIGHT MOWING WIDTH

Usually, you can choose a smaller GRIN lawn mower in comparison to a model with grass bag (e.g. if you used a 53 cm mowing width, a 46 cm GRIN model might suit you). **The choice of a grass bag lawn mower with large dimensions is due to the fact that a larger grass bag reduces the number of stops when mowing. With GRIN, choosing a larger mowing width saves you approx. 10 minutes each 1.000 m<sup>2</sup>, however, the smaller machines are more maneuverable especially in tight spaces.**

### 2 - CONSIDER IF YOU NEED A TRACTION

Lawn mowers with grass bag are typically heavier, especially when the bag is full of grass. **To easily maneuver them, the traction is needed starting from 400 m<sup>2</sup> or on slight slopes. GRIN machines without traction are more maneuverable, instead, especially in tight spaces.**

**A walk-behind GRIN mower is recommended up to 800 m<sup>2</sup> and 10° of slope.**

### 3 - CHOOSE THE RIGHT ENGINE

**Grin lawn mowers with electric motor have the same structural features as the ones with combustion engine:** the mowing result is particularly qualitative and under normal mowing circumstances practically identical to that of the line with internal combustion engines.

**USE THE GUIDING SCHEME IN THE NEXT PAGE TO CHOOSE THE GRIN MODEL SUITABLE FOR YOU AND YOUR GARDEN!**



## • How big is your garden in square meters?

M <sup>2</sup> OF THE GARDEN	BLADE WIDTH	TRACTION	MODEL
0-400	37 cm (600-800 m <sup>2</sup> /h)	NO	EM37 - HM37 BM37
400-800	46 cm (800-1.000 m <sup>2</sup> /h)	NO	HM46 - HM46 IS BM46
800-1.200	46 cm (800-1.000 m <sup>2</sup> /h)	YES	HM46A - HM46A IS BM46A PM46A - PM46A IS
1.200-3000	53 cm (1.000-1.200 m <sup>2</sup> /h) (2.000 m <sup>2</sup> /h with SPM53A)	YES	HM53A - HM53A IS PM53A - PM53A IS PM53A KW - SPM53A KW

### COMPARISON WITH A LAWN MOWER WITH GRASS BAG

	M <sup>2</sup> OF THE GARDEN	GRIN BLADE WIDTH	LAWN MOWER WITH GRASS BAG BLADE WIDTH	GRIN TRACTION	LAWN MOWER WITH GRASS BAG TRACTION
	0-400	37 cm	46 cm	NO	NO
	400-800	46 cm	53 cm	NO	YES
	800-1.200	46 cm	53 cm	YES	YES
	1.200-3000	53 cm	53 cm	YES	YES

## • Is it flat or on slopes?

DEGREE OF SLOPE	TRACTION	ENGINE
0° - 10°	NO (up to 800 M <sup>2</sup> )	ALL
10° - 20°	YES	ALL
> 20° (MAX 35° - 40°)	YES	Battery (BM46A-82V) Kawasaki with pressurised lubrication (PM53A KW - SPM53A KW)

# The full range



## Hobby PRO

The HobbyPRO line is addressed to **demanding private users**. Robustness and quality of professional materials are combined with components designed to grant **maneuverability, convenience and ease of use**.

### LIGHT



Designed to be maneuverable, even in tight spaces

### EASY



Easy start and intuitive use

### ROBUST



Professional frame, blade and wheels designed to last over time

### RECOMMENDED FOR

### HobbyPRO

0-400 M<sup>2</sup>



EM37



HM37



BM37-82V

400-800 M<sup>2</sup>



HM46



HM46 INSTANT



BM46-82V

800-1.200 M<sup>2</sup>



HM46A



HM46A INSTANT

1.200-3.000 M<sup>2</sup>



HM53A



HM53A INSTANT



Corded electric



Internal combustion engine  
Briggs & Stratton 6.75



Internal combustion engine  
Briggs & Stratton 6.75

ELECTRIC START



Battery

82V



**MOWING  
NO GRASS BAG  
NO WASTE**



## A model for every need

### Professional

The PROFESSIONAL line is designed to professional turf maintenance.

The components are suitable for intensive use, even on difficult terrains.

#### POWERFUL



Specific engine and components to mow under difficult conditions

#### RESISTANT



The engine protection cone is important on uneven terrain

#### ADAPTABLE



The professional traction allows you to adapt speed according to different mowing conditions

### Professional BRIGGS & STRATTON

### Professional KAWASAKI



SLOPES < 10°



BM46A-82V



PM46A



PM46A INSTART



PM53A



PM53A INSTART



PM53A KW



SPM53A KW

SLOPES > 10°



Battery

**82V**



Internal combustion engine  
Briggs & Stratton 8.50



Internal combustion engine  
Briggs & Stratton 8.50

**ELECTRIC START**



Internal combustion engine  
Kawasaki

**FOR SLOPES > 20°**



## Ask the expert



### • HOW DO I CHOOSE THE RIGHT GRIN MODEL FOR MY GARDEN?

**ACCORDING TO THE SIZE of your garden in square meters**, choose the mowing width (37, 46 or 53 cm) referring to the chart at page 34. Once you have identified the models of the right size, look at the data sheets in the following pages: a rating scheme from 1 to 5 helps you finding the suitable product considering your mowing preferences.

**Do not hesitate to contact GRIN for advice or visit one of our authorized dealers.**

### • FOR LAWNS UP TO 800 M<sup>2</sup>, WHY ISN'T THE TRACTION NECESSARY WITH GRIN?

**BECAUSE GRIN is lighter than a mower with grass bag.** In fact it does not carry the weight of the bag full of grass. Unless there are slopes of more than 10°, the traction in a medium-sized garden could make the machine heavier and less maneuverable.

**In order to understand more about the GRIN system, we suggest you to perform a free TEST DRIVE by our authorized dealers.**

### • WHICH IS THE DIFFERENCE BETWEEN GRIN PM AND HM PRODUCT RANGE?

**The PM range is designed for PROFESSIONAL and very intensive use.** The frame and the mowing deck are very similar in both product lines, but the equipment and the components are different. **The PM range in addition has the engine protection cone as standard, more performant engine, professional 2-speed traction, MAXI rear wheels, a more comfortable handlebar and levers.** As for the use, the main differences can be noticed on uneven terrains, in tall grass or on very well maintained lawns.

**If you have doubts, do not hesitate to contact us for help or perform a free TEST DRIVE.**

### • HOW DO THE GRIN BATTERY MACHINES PERFORM?

**LIKE THE ONES WITH COMBUSTION ENGINE.**

The GRIN battery machines are equipped with the same steel frame like the ones with combustion engine.

**The 82V motors are extremely powerful and grant excellent performances. The electric motor torque is sometimes even more performant than the engines of the HM range.** Many professional use these machines also in very tall grass or on extremely difficult lawns. **You can fully appreciate it performing a free TEST DRIVE by the closest GRIN dealer.**



---

# Keep up-to-date and find out all the news of GRIN world!



**Get all the information** on **www.mygrin.eu**  
**Find out more** on our **YouTube** channel and  
follow us on **Facebook** and **Instagram**!

[www.mygrin.eu](http://www.mygrin.eu)











# 5.

## THE GRIN RANGE

**EM range** •

**HM range** •

**BM range** •

**BRIGGS & STRATTON PM range** •

**KAWASAKI PM range** •

**Summary data sheet** •

**RM range** •





# EM range

CORDED ELECTRIC

HobbyPRO



**The GRIN EM range consists of a mower with 37 cm mowing width** featuring the patented MOWING – NO GRASS BAG – NO WASTE system.

**Ideal for users who look for the convenience and simplicity of an electric motor without sacrificing the quality of the materials and the effectiveness of the GRIN mowing.**

**Recommended for those who need a maneuverable machine** with steel frame and high quality mowing results.

**It combines the same structural features of an internal combustion engine lawn mower with the silence, ease of use and reduced costs of an electric motor.** It turns on with a practical command on the handlebar and the motor does not need any maintenance.

**An electric mower like you have never seen before!**



# H I G H L I G H T S

01. ELECTRIC START



02. VERTICAL STORAGE



03. 1600 W ELECTRIC MOTOR



## 01. ELECTRIC START

Start the engine simply pushing a button.

## 02. VERTICAL STORAGE

70% of space saved in your garage.

## 03. 1600 W ELECTRIC MOTOR

The convenience of an electric motor, without giving up on performance.

# EM range

# GRIN EM37



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TEST DRIVE** GRIN



Built on the proven GRIN chassis, Grin EM37 features a very powerful, 1600 Watt corded electric motor.

Those who have tried this machine confirm they have found **no differences in mowing quality compared to an internal combustion engine lawn mower.**

**Very maneuverable** thanks to the compact size and steel wheels with double ball bearings, **this lawn mower excels in gardens up to 400 m<sup>2</sup> with easy access to mains power sockets.**

**The advantages of this model are: silent, easy to switch on, no polluting emissions, the convenience of not needing any petrol or oil.**

The structure of this machine is the same as a GRIN lawn mower with internal combustion engine.

**When used in a small garden, it will work perfectly for many years**





CORDED ELECTRIC

RECOMMENDED FOR M<sup>2</sup>










**0-400 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-10°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	37 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	No
WHEELS	Steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	No
HANDLEBAR	Foldable with quick regulators
ENGINE	<b>Electric 220 Volt - Power 1600 Watt</b>
START	Electric
WEIGHT	20 kg

GRIN EM37 PERFORMANCE	1	2	3	4	5
 Mowing quality in standard conditions					
 Performance in tall grass (>30 cm)					
 Mowing on slopes					
 Uneven terrains					
 Manoeuvrability in tight spaces					



# HM range

INTERNAL COMBUSTION ENGINE

HobbyPRO



**The GRIN HM range consists of 7 lawn mowers** featuring the patented MOWING – NO GRASS BAG – NO WASTE system.

**They are powered by the Briggs & Stratton 6.75 series internal combustion engine, which is available with both starter cord and electric start.**

**Recommended for all demanding private users, who require a machine with a professional chassis that also assures great maneuverability.**

**They are available with mowing width of 37, 46 and 53 cm** and either in the push version or with traction.

These were the first models to be developed with the patented MOWING - NO GRASS BAG - NO WASTE system.

**They have always driven our company's growth; very reliable machines tested and evolved over 15 years in the field!**



## H I G H L I G H T S

01. READY START



02. ELECTRIC START



03. MOW N'STOW VERTICAL STORAGE



### 01. READY START

Automatic starter to start the engine on the first try.

### 02. ELECTRIC START

Start the engine simply pushing a button.

\*on the INSTART machines

### 03. MOW N'STOW VERTICAL STORAGE

70% of space saved in your garage even with full tanks.

# HM range

# GRIN HM37



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TEST DRIVE** GRIN



**GRIN HM37 is a compact, very maneuverable lawn mower with internal combustion engine.**

Built on the proven **GRIN chassis**, it is equipped with the powerful and reliable **Briggs & Stratton 675 series, 163 cc** engine with **Ready Start** for an easy start up

**This lawn mower is the smallest and lightest of the internal combustion engine range.** Nevertheless, it features the structural advantages of all GRIN lawn mowers, granting high solidity and mowing efficiency: **3 mm thick mowing deck, reinforced by a tubular frame, steel wheels with double ball bearing, centralised height adjustment lever, quick anti-vibration handlebar regulators, 25 mm handlebar, patented GRIN blade, etc.**

**Ideal for users who look for high quality mowing in small gardens or with narrow passages.**

**The 37 cm blade is recommended for lawns up to approximately 400 m<sup>2</sup>.** The chassis of this machine is very solid and durable. In case of particularly rocky or uneven terrain, it can be equipped with the optional engine protection cone.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

**0-400 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-10°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	37 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	No
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75</b> - Ready Start 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Easy starter cord - automatic
WEIGHT	25 kg

GRIN HM37 PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					

# GRIN HM46



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TESTDRIVE GRIN**



**GRIN HM46 is one of the most popular machines in the GRIN range with internal combustion engine.**

Built on the proven **GRIN chassis**, it is **equipped with the powerful and reliable Briggs & Stratton 675 series, 163 cc engine with READY START for an easy start up.**

**The most impressive feature of this lawn mower is its maneuverability.** Its **compact chassis**, the **wheels with double ball bearings**, the **low weight of 27 kg** and the **practical frame** make it the ideal machine to easily mow in between trees, flowerbeds, lanes and all the other obstacles in the garden.

**Nevertheless, its 46 cm mowing deck allow easy and quick maintenance up to 800 m<sup>2</sup>.**

The lack of traction is not perceived on flat lawns: **GRIN lawn mowers have no grass bag**, therefore the weight of the machine is low and does not increase with full grass bag.

**Pushing GRIN HM46 is easy and comfortable for everyone and there is no traction that could hinder maneuvering.**

**The chassis of this machine is very solid and durable.** In case of particularly rocky or uneven terrain, it can be equipped with the optional engine protection cone.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

400-800 M<sup>2</sup>

RECOMMENDED FOR SLOPES

0-10°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	No
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75</b> - Ready Start 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Easy starter cord - automatic
WEIGHT	27 kg

GRIN HM46 PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					

# GRIN HM46 INSTART

**ELECTRIC START**



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TESTDRIVE** GRIN



The **INSTART** series of the model HM46 features an electric starter.

Built on the proven **GRIN chassis**, it maintains all the HM46 features and is equipped with the powerful and reliable Briggs & Stratton 675 series, 163 cc engine with **INSTART** system.

This innovative engine is powered by a **Lithium Ion battery** that allows you to start the machine without pulling the cord, but just by pushing on a button.

The battery, which is fully charged in about 60 minutes, allows more than 50 starts with one full charge.

While a partial charge of 10 minutes allows more than 10 starts.

**INSTART** is a true revolution in the field of lawn mower engines.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

400-800 M<sup>2</sup>

RECOMMENDED FOR SLOPES

0-10°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights</b> , adjustable with a single quick action lever
TRACTION	No
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75 - INSTART</b> 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Electric
WEIGHT	28 kg

GRIN HM46 INSTART PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					

# GRIN HM46A



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TEST DRIVE** GRIN



**GRIN HM46A is one of the most popular machines in the Grin range with internal combustion engine and traction.**

Built on the proven **GRIN** chassis, it is equipped with the powerful and reliable **Briggs & Stratton 675 series, 163 cc engine with READY START** for an easy start up.

**The traction in oil bath, in aluminum casing, is reliable and powerful.**

**The innovative GRIN design of the traction, mounted on GRIN suspended axles, enables to increase shock resistance and durability.**

**The 46 cm mowing deck allows you to quickly mow up to 1200 m<sup>2</sup>, still assuring extreme maneuverability even in the narrowest garden areas, on slopes and during transport.**

**The chassis of this machine is very solid and durable.** In case of particularly rocky or uneven terrain, it can be equipped with the optional engine protection cone.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

**800-1.200 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-20°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>MONO in aluminum casing</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75</b> - Ready Start 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Easy starter cord - automatic
WEIGHT	32 kg

GRIN HM46A PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN HM46A INSTART

ELECTRIC START



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TESTDRIVE GRIN



The **INSTART** series of the model HM46A features an electric starter.

Built on the proven **GRIN** chassis, it maintains all the HM46A features and is equipped with the powerful and reliable Briggs & Stratton 675 series, 163 cc engine with **INSTART** system.

This **innovative engine** is powered by a **Lithium Ion battery** that allows you to start the machine without pulling the cord, but just by pushing on a button.

The battery, which is fully charged in about 60 minutes, allows more than 50 starts with one full charge.

While a partial charge of 10 minutes allows more than 10 starts.

**INSTART** is a true revolution in the field of lawn mower engines.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

**800-1.200 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-20°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>MONO in aluminum casing</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75 - INSTART</b> 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Electric
WEIGHT	33 kg

GRIN HM46A INSTANT PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN HM53A



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TESTDRIVE** GRIN



**GRIN HM53A with internal combustion engine and traction is designed for large spaces.**

Built on the proven **GRIN** chassis, it is equipped with the powerful and reliable Briggs & Stratton 675 series, 163 cc engine with **READY START** for an easy start up.

**The traction in oil bath, in aluminum casing, is reliable and powerful.**

The innovative GRIN design of the traction, mounted on GRIN suspended axles, enables to increase shock resistance and durability.

**The 53 cm mowing deck allows you to mow lawns larger than 1200 m<sup>2</sup>.**

Compared to the smaller model, with 46 cm mowing deck, it is best suited for wide open spaces, where a larger mowing width helps to save time for maintenance.

**The chassis of this machine is very solid and durable.** In case of particularly rocky or uneven terrain, it can be equipped with the optional engine protection cone.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

**1.200-3.000 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-20°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>MONO in aluminum casing</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75</b> - Ready Start 4-stroke - <b>163 cc</b> <b>MOW N'STOW</b> for vertical storage
START	Easy starter cord - automatic
WEIGHT	34 kg

GRIN HM53A PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN HM53A INSTART

ELECTRIC START



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TESTDRIVE GRIN



The **INSTART** series of the model HM53A features an electric starter.

Built on the proven **GRIN** chassis, it maintains all the HM53A features and is equipped with the powerful and reliable Briggs & Stratton 675 series, 163 cc engine with **INSTART** system.

This **innovative engine** is powered by a **Lithium Ion battery** that allows you to start the machine without pulling the cord, but just by pushing on a button.

The battery, which is fully charged in about 60 minutes, allows more than 50 starts with one full charge.

While a partial charge of 10 minutes allows more than 10 starts.

**INSTART** is a true revolution in the field of lawn mower engines.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

1.200-3.000 M<sup>2</sup>

RECOMMENDED FOR SLOPES

0-20°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	4 heights, adjustable with a single quick action lever
TRACTION	<b>MONO</b> in aluminum casing
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 6.75 - INSTART</b> 4-stroke - <b>163 cc</b> . <b>MOW N'STOW</b> for vertical storage
START	Electric
WEIGHT	35 kg

GRIN HM53A INSTART PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					



## BM range

82V BATTERY

HobbyPRO

Professional



The GRIN 82V battery powered range consists of 3 lawn mowers, 2 push models and 1 with traction, featuring the patented MOWING – NO GRASS BAG – NO WASTE system. They are equipped with the innovative, brushless Briggs & Stratton electric motor with an output of 1,5 kw and powered by a 82V lithium ion battery.

This new technology allows amazing performances compared to the past. In terms of power and mowing quality, these lawn mowers have nothing to envy to the ones with internal combustion engine.

With the 5Ah battery, one full charge is enough to mow 800 m<sup>2</sup> (with the model BM46-82V), while with the 2Ah battery it is possible to mow up to 400 m<sup>2</sup> with one full charge (with model BM37-82V).

The battery is housed in an internal compartment of the motor and can be easily removed to be recharged. In this way, the battery is protected from hits and atmospheric agents.

The combination of 2 batteries allows an autonomy of several consecutive hours, increasing the usability.



## H I G H L I G H T S

01. ELECTRIC START



02. 82V BATTERY MOTOR



03. VERTICAL STORAGE



### 01. ELECTRIC START

Start the engine simply pushing a button.

### 02. 82V BATTERY MOTOR

Powerful like a combustion engine, easy like an electric motor.

### 03. VERTICAL STORAGE

70% of space saved in your garage.

# BM range 82V





## Practical and environmentally friendly... without compromises!

- **GUARANTEED POWER**

to mow without compromise compared to an internal combustion engine.

- **OPTIMISED AUTONOMY**

of the battery thanks to the automatic consumption control of the **ECO MODE** and **POWER MODE** system.

- **NO MAINTENANCE**

needed for the 82V Briggs & Stratton motor.

- **LOW ENVIRONMENTAL IMPACT**

for an eco-friendly mowing and a quiet motor.



# 82V<sup>MAX</sup> LITHIUM-ION



## • GUIDE TO CHOOSE YOUR BATTERY-POWERED GRIN

Model	Blade	Traction	Supplied battery	Battery lifetime m <sup>2</sup>	Supplied battery charger	Charging time	Battery life cycles	Reccomended garden size
BM37-82V	37	NO	2Ah	400 m <sup>2</sup>	4Ah (4 amps per hour)	30 min.	500\1.000 (1 year ~15-20 cycles for private use)	0-400 m <sup>2</sup>
BM46-82V	46	NO	5Ah	800 m <sup>2</sup>	4Ah (4 amps per hour)	75 min.	500\1.000 (1 year ~15-20 cycles for private use)	400-800 m <sup>2</sup>
BM46A-82V	46	YES PRO with 2 speeds	5Ah	600 m <sup>2</sup>	4Ah (4 amps per hour)	75 min.	500\1.000 (1 year ~15-20 cycles for private use)	400-1.200 m <sup>2</sup> sloping gardens 800-1.200 m <sup>2</sup> with second battery 0-1.200 m <sup>2</sup> professional use

# GRIN BM37-82V

400 M<sup>2</sup> WITH ONE FULL CHARGE



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE



GRIN BM37-82V features the Briggs & Stratton electric motor powered by an 82 V Lithium Ion battery.

The 2 Ah 82 V battery allows you to mow up to 400 m<sup>2</sup> of lawn, under normal conditions, with one full charge.

Built on the proven GRIN chassis, it is equipped with a 1.5KW electric motor that assures incredible performance in tall grass and in difficult conditions, similar to a machine with an internal combustion engine.

The electronics enable the variation of the motor's RPM from 2,600 to 2,900, optimising battery life thanks to automatic power adjustment according to mowing conditions.

The chassis of this machine is the same as a GRIN lawn mower with internal combustion engine.

Thanks to the structural integrity and the motor, it is particularly suitable for tight space and trimming jobs, when it is necessary to combine mowing performance with a reduced noise level, pollutants and engine maintenance.





BATTERY

RECOMMENDED FOR M<sup>2</sup>

0-400 M<sup>2</sup>

RECOMMENDED FOR SLOPES

0-10°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	37 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	No
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Optional
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 82V - Lithium ION</b> High efficiency, with integrated control, safety key
START	Electric
BATTERY	<b>2Ah - 82v - 400 m<sup>2</sup> with one full charge</b>
BATTERY CHARGER	<b>QUICK- 30 minutes for one full charge</b>
WEIGHT	23 kg - without battery

GRIN BM37-82V PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					

# GRIN BM46-82V

800 M<sup>2</sup> WITH ONE FULL CHARGE



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TEST DRIVE GRIN



GRIN BM46-82V features the Briggs & Stratton electric motor powered by an 82 V Lithium Ion battery.

The 5 Ah and 82V battery allows you to mow up to 800 m<sup>2</sup> of lawn, under normal conditions, with one full charge.

Built on the proven GRIN chassis, it is equipped with a 1.5KW electric motor that assures incredible performance in tall grass and in difficult conditions, similar to a machine with an internal combustion engine.

The electronics enable the variation of the motor's RPM from 2,600 to 2,900, optimising battery life thanks to automatic power adjustment according to mowing conditions.

The chassis of this machine is the same as a GRIN lawn mower with internal combustion engine and the ENGINE PROTECTION CONE is standard.

Thanks to the structural integrity and the motor, it is widely appreciated by professional gardeners, who need to combine mowing performance with a reduced noise level, pollutants and engine maintenance.





## BATTERY

RECOMMENDED FOR M<sup>2</sup>











**400-800 M<sup>2</sup>**

## RECOMMENDED FOR SLOPES

0-10°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	No
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 82V - Lithium ION</b> High efficiency, with integrated control, safety key
START	Electric
BATTERY	<b>5Ah -82v - 800 m² with one full charge</b>
BATTERY CHARGER	<b>QUICK- 75 minutes for one full charge</b>
WEIGHT	25 kg - without battery

GRIN BM46-82V PERFORMANCE		1	2	3	4	5
	Mowing quality in standard conditions					
	Performance in tall grass (>30 cm)					
	Mowing on slopes					
	Uneven terrains					
	Manoeuvrability in tight spaces					

# GRIN BM46A-82V

600 M<sup>2</sup> WITH ONE FULL CHARGE



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TESTDRIVE GRIN



GRIN BM46A-82V is a lawn mower with automatic traction equipped with the Briggs & Stratton electric motor powered by an 82V lithium ion battery.

The 5Ah and 82V battery allows you to mow up to 600 m<sup>2</sup>, under normal conditions, with one full charge. With an additional 5Ah battery, it is possible to mow up to 1.200 m<sup>2</sup>.

The 2 SPEED professional traction in oil bath, in aluminum casing, is reliable and powerful and allows you to adjust the speed according to the conditions of the lawn.

The innovative GRIN design of the traction, mounted on GRIN suspended axles, enables to increase shock resistance and durability. Built on the proven GRIN chassis, with the standard ENGINE PROTECTION CONE, it is equipped with a 1,5 KW electric motor, that assures incredible performance in tall grass and difficult conditions, similar to a machine with internal combustion engine.

The electronics enable the variation of the motor's RPM from 2.600 to 2.900, optimising battery life thanks to automatic power adjustment according to mowing conditions.

Thanks to the structural integrity and the motor, it is widely appreciated by professional gardeners.





## BATTERY

RECOMMENDED FOR M<sup>2</sup>







**800-1.200 M<sup>2</sup>**

## RECOMMENDED FOR SLOPES

0-30°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 82V - Lithium ION</b> High efficiency, with integrated control, safety key
START	Electric
BATTERY	<b>5Ah-82v - 600 m² with one full charge</b>
BATTERY CHARGER	<b>QUICK- 75 minutes for one full charge</b>
WEIGHT	33 kg - without battery

GRIN BM46A-82V PERFORMANCE		1	2	3	4	5
	Mowing quality in standard conditions	<div><div></div></div>				
	Performance in tall grass (>30 cm)	<div><div></div></div>				
	Mowing on slopes	<div><div></div></div>				
	Uneven terrains	<div><div></div></div>				
	Manoeuvrability in tight spaces	<div><div></div></div>				
	Mowing speed	<div><div></div></div>				



## Briggs & Stratton PM range

INTERNAL COMBUSTION ENGINE

Professional



The GRIN Briggs & Stratton PM range consists of 4 lawn mowers featuring the patented MOWING – NO GRASS BAG – NO WASTE system designed for professional use. They are powered by the professional BRIGGS & STRATTON 8.50 series internal combustion engine, which is available with both starter cord and electric starter.

Recommended for gardeners, maintainers, cooperatives or demanding private users. Available with mowing width of 46 and 53 cm, the lawn mowers of PM range are equipped with a professional traction to adapt to the different mowing conditions. The wheels with GRIP GRIN tread and MAXI rear diameter assure high performance on uneven terrain.

The engine protection cone, which offers protection from accidental hits on the blade, is standard. The comfort levers combined with the anti-vibration covered handlebar grant more comfort during intensive use.

Representing the evolution in professional maintenance, GRIN's professional range is able to meet the requirements to reduce costs and shorten maintenance time, always granting standard high mowing quality!




# Professional H I G H L I G H T S



01. READY START



02. BRIGGS &amp; STRATTON PROFESSIONAL ENGINE



03. PROFESSIONAL TRACTION



04. ENGINE PROTECTION CONE



05. MAXI GRIP GRIN



06. ANTI-VIBRATION HANDLEBAR AND COMFORT LEVERS

## 01. READY START

Automatic starter to start the engine on the first try.

## 02. BRIGGS & STRATTON PROFESSIONAL ENGINE

Power and reliability combined with ease of use.

## 03. PROFESSIONAL TRACTION

Professional with 2 speeds to adapt to different conditions.

## 04. ENGINE PROTECTION CONE

To minimize impacts on uneven terrain.

## 05. MAXI GRIP GRIN

To overcome obstacles on uneven terrain.

## 06. ANTI-VIBRATION HANDLEBAR AND COMFORT LEVERS

For more comfort in case of intensive use.

# Briggs & Stratton | PM range

# GRIN PM46A



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**



Built on the proven GRIN chassis, GRIN PM46A is equipped with the powerful and reliable Briggs & Stratton 8.50 series, 190 cc engine with READY START for easy start up.

The 2 SPEED professional traction in oil bath, in aluminum casing, is reliable and powerful and allows you to adjust the speed according to the conditions of the lawn.

The innovative GRIN design of the traction, mounted on GRIN suspended axles, enables to increase shock resistance and durability.

**Ideal for professional lawn maintenance, this machine is best suited for difficult conditions.**

**Maintainers who use it are astonished by its ability to pulverise grass even when it is tall and wet.** It is also suitable for less frequent maintenance.

**The 46 cm mowing deck makes it maneuverable in tight space or for trimming jobs.**

The reinforced construction, the 3 mm thick mowing deck and the standard ENGINE PROTECTION CONE allow even the most distracted operator to mow rustic lawns. **The quality of the GRIN mowing system combined with the machine's components assure excellent results on well-maintained lawns.**





INTERNAL COMBUSTIONENGINE

RECOMMENDED FOR M<sup>2</sup>

**800-1.200 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-20°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing. Rear wheels with <b>MAXI diameter</b>
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 8.50 professional OHV Ready Start 4-stroke - 190 cc</b>
START	Easy starter cord - automatic
WEIGHT	37 kg

GRIN PM46A PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN PM46A INSTART

ELECTRIC START



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TEST DRIVE GRIN



The **INSTART** series of the model PM46A features an electric starter.

Built on the proven **GRIN** chassis, it maintains all the **PM46A** features and is equipped with the powerful and reliable Briggs & Stratton **850 series, 190 cc engine with INSTART system.**

This **innovative engine** is powered by a **Lithium Ion battery** that allows you to start the machine without pulling the cord, but just by pushing on a button.

The battery, which is fully charged in about 60 minutes, allows more than 50 starts with one full charge.

While a partial charge of 10 minutes allows more than 10 starts.

**INSTART** is a true revolution in the field of lawn mower engines.





INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

800-1.200 M<sup>2</sup>

RECOMMENDED FOR SLOPES

0-20°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	46 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing. Rear wheels with <b>MAXI diameter</b>
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 8.50 professional OHV INSTART</b> 4-stroke - <b>190 cc</b>
START	Electric
WEIGHT	38 kg

GRIN PM46A INSTART PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN PM53A



FIND OUT MORE!



**MOWING  
NO GRASS BAG  
NO WASTE**

**TEST DRIVE** GRIN



Built on the proven GRIN chassis, GRIN PM53A is equipped with the powerful and reliable Briggs & Stratton 850 series, 190 cc engine with READY START for easy start up.

The **2 SPEED professional traction in oil bath**, in aluminum casing, is **reliable and powerful** and allows you to adjust the speed according to the conditions of the lawn.

The innovative GRIN design of the traction, mounted on GRIN suspended axles, enables to increase shock resistance and durability. Ideal for professional lawn maintenance, this machine is best suited for difficult conditions.

Maintainers who use it are astonished by its ability to pulverise grass even when it is tall and wet. It is also suitable for less frequent maintenance

The 53 cm mowing deck makes it suitable for large spaces, while assuring easy maneuverability even in smaller spaces.





## INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>

**1.200-3.000 M<sup>2</sup>**

## RECOMMENDED FOR SLOPES

0-20°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing. Rear wheels with <b>MAXI diameter</b>
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 8.50 professional OHV</b> Ready Start 4-stroke - <b>190 cc</b>
START	Easy starter cord - automatic
WEIGHT	39 kg

GRIN PM53A PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions	[Bar chart showing 48 bars]				
Performance in tall grass (>30 cm)	[Bar chart showing 36 bars]				
Mowing on slopes	[Bar chart showing 36 bars]				
Uneven terrains	[Bar chart showing 36 bars]				
Manoeuvrability in tight spaces	[Bar chart showing 16 bars]				
Mowing speed	[Bar chart showing 36 bars]				

# GRIN PM53A INSTART

ELECTRIC START



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TEST DRIVE GRIN



The **INSTART** series of the model PM53A features an electric starter.

Built on the proven **GRIN** chassis, it maintains all the PM53A features and is equipped with the powerful and reliable Briggs & Stratton 850 series, 190 cc engine with **INSTART** system.

This innovative engine is powered by a **Lithium Ion battery** that allows you to start the machine without pulling the cord, but just by pushing on a button.

The battery, which is fully charged in about 60 minutes, allows more than 50 starts with one full charge.

While a partial charge of 10 minutes allows more than 10 starts.

**INSTART** is a true revolution in the field of lawn mower engines.





## INTERNAL COMBUSTION ENGINE

RECOMMENDED FOR M<sup>2</sup>







**1.200-3.000 M<sup>2</sup>**

## RECOMMENDED FOR SLOPES

0-20°

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing. Rear wheels with <b>MAXI diameter</b>
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Briggs &amp; Stratton 8.50 professional OHV</b> <b>INSTART</b> 4-stroke - <b>190 cc</b>
START	Electric
WEIGHT	40 kg

GRIN PM53A INSTANT PERFORMANCE		1	2	3	4	5
	Mowing quality in standard conditions	<div><div></div></div>				
	Performance in tall grass (>30 cm)	<div><div></div></div>				
	Mowing on slopes	<div><div></div></div>				
	Uneven terrains	<div><div></div></div>				
	Manoeuvrability in tight spaces	<div><div></div></div>				
	Mowing speed	<div><div></div></div>				



## Kawasaki PM range

INTERNAL COMBUSTION ENGINE

Professional



The **GRIN PM KAWASAKI** range consists of 2 lawn mowers featuring the patented **MOWING – NO GRASS BAG – NO WASTE** system designed for professional use. They are powered by the professional **KAWASAKI FJ180V KAI** motor, equipped with pressurised lubrication to mow on slopes.

**Recommended for gardeners, maintainers, cooperatives or demanding private users.**

Available with mowing width of 53 cm, the lawn mowers of PM range are equipped with a professional traction to adapt to the different mowing conditions.

The wheels with **GRIP GRIN** tread and **MAXI rear diameter** assure high performance on uneven terrain.

The engine protection cone, which offers protection from accidental hits on the blade, is standard. The comfort levers combined with the anti-vibration covered handlebar grant more comfort during intensive use.

Representing the evolution in professional maintenance, GRIN's professional range is able to meet the requirements to reduce costs and shorten maintenance time, always granting standard high mowing quality!



# Professional HIGHLIGHTS


01. KAWASAKI PROFESSIONAL ENGINE



02. PRESSURISED LUBRICATION ON SLOPES



03. PROFESSIONAL TRACTION



04. ENGINE PROTECTION CONE



05. MAXI GRIP GRIN



06. ANTI-VIBRATION HANDLEBAR AND COMFORT LEVERS



## 01. KAWASAKI PROFESSIONAL ENGINE

Designed for the most demanding professional.

## 02. PRESSURISED LUBRICATION ON SLOPES

To mow even on slopes over 20°.

## 03. PROFESSIONAL TRACTION

Professional with 2 speeds to adapt to different conditions.

## 04. ENGINE PROTECTION CONE

To minimize impacts on uneven terrain.

## 05. MAXI GRIP GRIN

To overcome obstacles on uneven terrain.

## 06. ANTI-VIBRATION HANDLEBAR AND COMFORT LEVERS

For more comfort in case of intensive use.

# Kawasaki | PM range

# GRIN PM53A KW

ENGINE FOR SLOPES > 20°



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TEST DRIVE GRIN



Built on the proven **GRIN chassis**, GRIN PM53A KW is equipped with the most appreciated **Kawasaki FJ180V KAI, 179 cc, professional engine**. It features a pressurised lubrication system to mow on slopes without facing lubrication problems.

The **2 SPEED professional traction in oil bath**, in aluminum casing, is **reliable and powerful** and allows you to adjust the speed according to the conditions of the lawn.

The innovative **GRIN design of the traction**, mounted on **GRIN suspended axles**, enables to increase shock resistance and durability.

**Ideal for professional lawn maintenance**, this machine is best suited for **difficult conditions**.

Maintainers who use it are astonished by its ability to pulverise grass even when it is tall and wet. It is also suitable for less frequent maintenance.

The **53 cm mowing deck** makes it suitable for large spaces, while assuring easy maneuverability even in smaller spaces.





RECOMMENDED FOR M<sup>2</sup>

**1.200-3.000 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-30°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	<b>4 heights, adjustable with a single quick action lever</b>
TRACTION	<b>Professional with 2 speeds</b>
WHEELS	<b>Grip Grin</b> , steel structure with double ball bearing. Rear wheels with <b>MAXI diameter</b>
MOWING DECK AND STRUCTURE	Reinforced, powder coated steel
ENGINE PROTECTION CONE	Standard
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Kawasaki Fj180V KAI</b> With pressurised lubrication to mow on slopes - <b>179 cc</b>
START	Easy starter cord - manual
WEIGHT	47 kg

GRIN PM53A KW PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# GRIN SPM53A KW

ENGINE FOR SLOPES > 20°



FIND OUT MORE!



MOWING  
NO GRASS BAG  
NO WASTE

TEST DRIVE GRIN



GRIN SPM53A KW is a 3-wheeled machine, with off-centered engine, ideal for maintenance in tall grass and on slopes.

The innovative **Grin HD bridge frame** allows to fit the professional KAWASAKI engine off-centre.

The lockable pivoting front wheel, the GRIP GRIN MAXI rear wheels and the excellent weight balance make this machine agile and easy to maneuver in tight space, on uneven terrain and on slopes.

The 3-wheeled structure facilitates mowing near trees or other obstacles.

The professional KAWASAKI engine is equipped with a pressurised lubrication system to mow on slopes without facing lubrication problems.

Ideal for professional use in tall grass, it is best suited for **difficult lawns with different mowing conditions**, e.g. from **rustic lawn**, not often maintained to regularly maintained areas.





RECOMMENDED FOR M<sup>2</sup>

**1.200-3.000 M<sup>2</sup>**

RECOMMENDED FOR SLOPES

**0-30°**

## TECHNICAL SPECIFICATIONS

MOWING SYSTEM	Patented GRIN mowing system <b>MOWING - NO GRASS BAG - NO WASTE</b>
MOWING WIDTH	53 cm
MOWING HEIGHT	<b>3 heights</b> , adjustable on the front pivoting wheel
TRACTION	<b>Professional with 2 speeds</b> (Higher speed than the PM line)
WHEELS	<b>3 wheeled-structure to facilitate mowing near trees. Grip Grin Maxi rear wheels for greater grip on uneven terrain and front pivoting wheel for greater maneuverability in tight spaces..</b>
MOWING DECK AND STRUCTURE	<b>Steel frame with off-centered engine</b> to facilitate maneuverability on slopes
ENGINE PROTECTION CONE	<b>Standard, combined with GRIN HD system</b>
HANDLEBAR	Foldable with quick <b>anti-vibration regulators</b>
ENGINE	<b>Kawasaki Fj180V KAI</b> With pressurised lubrication to mow on slopes - <b>179 cc</b>
START	Easy starter cord - manual
WEIGHT	59 kg

GRIN SPM53A KW PERFORMANCE	1	2	3	4	5
Mowing quality in standard conditions					
Performance in tall grass (>30 cm)					
Mowing on slopes					
Uneven terrains					
Manoeuvrability in tight spaces					
Mowing speed					

# Summary data sheet



	RECOMMENDED FOR			MOWING WIDTH	WEIGHT	(Length x Width x Height)	(Length x Width x Height)	ENGINE			
MODEL	M²	SLOPE	USER			DIMENSIONS FOLDED	DIMENSIONS IN OPERATION	POWER SOURCE	ENGINE	START	VERTICAL STORAGE
EM37	0-400	0-10°	HobbyPRO	37 cm	20 kg	820x420 x370	1150x420 x1030	corded electric	electric 220 Volt Power 1.600 Watt	electric with push button	yes
HM37	0-400	0-10°	HobbyPRO	37 cm	25 kg	800x420 x420	1250x420 x1000	fuel	Briggs & Stratton 6.75 Ready Start 4-stroke - 163 cc MOW N'STOW	starter cord	yes
HM46	400-800	0-10°	HobbyPRO	46 cm	27 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 6.75 Ready Start 4-stroke - 163 cc MOW N'STOW	starter cord	yes
HM46 IS	400-800	0-10°	HobbyPRO	46 cm	28 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 6.75 - <b>INSTART</b> 4-stroke - 163 cc MOW N'STOW	electric with push button	yes
HM46A	800-1.200	0-20°	HobbyPRO	46 cm	32 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 6.75 Ready Start 4-stroke - 163 cc MOW N'STOW	starter cord	yes
HM46A IS	800-1.200	0-20°	HobbyPRO	46 cm	33 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 6.75 - <b>INSTART</b> 4-stroke - 163 cc MOW N'STOW	electric with push button	yes
HM53A	800-1.200	0-20°	HobbyPRO	53 cm	34 kg	900x600 x450	1350x600 x1000	fuel	Briggs & Stratton 6.75 Ready Start 4-stroke - 163 cc MOW N'STOW	starter cord	yes
HM53A IS	800-1.200	0-20°	HobbyPRO	53 cm	35 kg	900x600 x450	1350x600 x1000	fuel	Briggs & Stratton 6.75 - <b>INSTART</b> 4-stroke - 163 cc MOW N'STOW	electric with push button	yes
BM37-82V	0-400	0-10°	HobbyPRO	37 cm	23 kg without battery	800x420 x420	1250x420 x1000	battery	Briggs & Stratton 82V - Lithium ION	electric with push button	yes
BM46-82V	400-800	0-10°	HobbyPRO	46 cm	25 kg without battery	800x520 x420	1250x520 x1000	battery	Briggs & Stratton 82V - Lithium ION	electric with push button	yes
BM46A-82V	800-1.200	0-30°	Professional	46 cm	33 kg without battery	800x520 x420	1250x520 x1000	battery	Briggs & Stratton 82V - Lithium ION	electric with push button	yes
PM46A	800-1.200	0-20°	Professional	46 cm	37 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 8.50 professional OHV Ready Start 4-stroke - 190 cc	starter cord	no
PM46A IS	800-1.200	0-20°	Professional	46 cm	38 kg	800x520 x420	1250x520 x1000	fuel	Briggs & Stratton 8.50 professional OHV <b>INSTART</b> 4-stroke - 190 cc	electric with push button	no
PM53A	1.200-3.000	0-20°	Professional	53 cm	39 kg	900x600 x450	1350x600 x1000	fuel	Briggs & Stratton 8.50 professional OHV Ready Start 4-stroke - 190 cc	starter cord	no
PM53A IS	1.200-3.000	0-20°	Professional	53 cm	40 kg	900x600 x450	1350x600 x1000	fuel	Briggs & Stratton 8.50 professional OHV <b>INSTART</b> 4-stroke - 190 cc	electric with push button	no
PM53A KW	1.200-3.000	0-30°	Professional	53 cm	47 kg	900x600 x450	1350x600 x1000	fuel	Kawasaki Fj180V KAI - 4-stroke with pressurised lubrication to mow on slopes - 179 cc	starter cord	no
SPM53A KW	1.200-3.000	0-30°	Professional	53 cm	59 kg	1050x600 x550	1450x600 x550	fuel	Kawasaki Fj180V KAI - 4-stroke with pressurised lubrication to mow on slopes - 179 cc	starter cord	no





MOWING HEIGHT			WHEELS					HANDLEBAR		ENGINE PROTECTION CONE
REGULATION	MOWING HEIGHTS	MOWING HEIGHTS (mm)	MATERIAL	SLIDING	TREAD	FRONT DIAMETER	REAR DIAMETER	FOLDABLE	QUICK REGULATION	
centralised	4	30-60 mm	steel	double ball bearing	sculpted	115	115	yes	yes	no
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	181	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	181	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	181	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	235	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	235	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	235	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	235	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	181	yes	anti-vibration	optional
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	181	yes	anti-vibration	yes
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes
centralised	4	35-70 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes
front wheel	3	55-96 mm	steel	double ball bearing	Grip Grin	181	281	yes	anti-vibration	yes

## 5. THE GRIN RANGE



RIDE-ON LAWN MOWER

**RM** 1 2 0

Professional



Grin RM 120 is a ride-on lawn mower with a patented, unique and innovative mowing deck:

- **Three separate GRIN mowing decks** to optimize the patented mowing system.
- **Sealed deck**, to protect and preserve the mowing system.
- **Drive belts** shielded from dirt, but easily accessible for maintenance.
- **Sound insulation**, which significantly reduce noise level.

Thanks to this mowing deck, **the pulverization quality, the high performance in difficult conditions and the result on uneven ground remain unchanged** and are always guaranteed by the GRIN mowing system without grass bag.

**RM120 is a professional ride-on mower that combines the ease of zero-turn with the simplicity of joystick control.**

**The three-wheeled structure**, with the swiveling front wheels, **allows not only a safe work but also to mow easily near obstacles.**


**RM120 is equipped with a 120 cm mowing deck and a 20 hp internal combustion engine.**

In addition, belongs to the standard equipment:

- **HEIGHT QUICK ADJUSTMENT** • **SPEED SETTING**
- **MULTIFUNCTIONAL DISPLAY** • **ELECTRONIC SETTING OF THE MOWING HEIGHT**



# Professional HIGHLIGHTS



THE **GRIN MOWING DECK** : **UNIQUE** AND **INNOVATIVE**.



THE **EASE OF ZERO-TURN** WITH THE **SIMPLICITY** OF **JOYSTICK CONTROL**.

# RM 1 2 0



## 5. THE GRIN RANGE



**THE GRIN PATENTED MOWING DECK  
GUARANTEES HIGH QUALITY PULVERIZATION EVEN IN TALL GRASS.**



FIND OUT MORE!



TECHNICAL SPECIFICATIONS		RM 1 2 0			
ENGINE					
Model	B&S Series8 Commercial Series 44T8				
Fuel	Gasoline				
Power / displacement	20HP / 724cc				
Number of Cylinders	2				
Equipment	High pressure lubrication system/ Cyclonic Air Filter / Fuel filter				
Fuel tank capacity	35 L				
HYDRAULIC SYSTEM					
Pumps	1 supply pump, N.2 variable displacement axial piston pump, 1 gear pump				
Wheels actuators	N.2 orbital motor 320cc				
Brakes	N.2 Hydraulic negative brakes				
Brake release system	Accumulator 0.35L for emergency brake release				
Drive wheels	2WD				
Maximum speed	12 Km/h				
Driving system	Zero turn system with hydraulic joystick - Adjustable top speed limiter "Quick lifting" button				
Cutting height regulation	Hydraulic				
SEAT					
Model	Shuttle 99R with adjustable armrests				
WHEELS					
"Garden" real wheels	Turf Smart 20 x 8.00 - 10				
"Clawed" real wheels	Super Lug 20 x 8.00 - 10				
Front wheel	Straight Rib 11 x 4.00 - 5				
ELECTRICAL SYSTEM					
Battery	12 V / 30 Ah (300 A)				
Instrument Panel	"Smart view" Multifunction Display: Hour counter – Cutting System Status – Cutting Height Hydraulic oil and Gasoline level indicators				
Alarms and indicator lights	Engine oil pressure – parking brake – battery – Human presence sensor				
MOWING SYSTEM					
Special feature	Patented Grin "Mowing, no grass bag, no waste" system				
Mowing deck	120cm / 3 separate blades Patented closed cutting system with noise reduction Mowing deck cleaning system				
Cutting height regulation	Hydraulic cutting height regulation from 5 to 15cm				
WEIGHT AND DIMENSION					
Dry weight	485 Kg				
Length / Width / Height	238 x 135 x 132 cm				
RECOMMENDED FOR		PROFESSIONAL USE for maintenance of large surfaces.			







6.

# GRIN IS ALWAYS BY YOUR SIDE

The GRIN company ·



# The GRIN company



**GRIN srl was founded in 2005** around the patented mowing system: MOWING – NO GRASS BAG - NO WASTE. With headquarters in Sirtori, Lecco province, famous for the mechanical engineering industry, GRIN srl has grown thanks to the passion and years of expertise within the lawn mowing sector.

**The first years were dedicated to the development of a highly innovative range of lawn mowers produced in Italy.**

**Innovation and quality** are the groundstones of GRIN philosophy. Therefore, the company itself carries out all development steps, the production and the assembly.

**Over 95% of the components are MADE IN ITALY and most of them are produced directly by GRIN.**

During these years, the GRIN project has grown and developed in the main **European markets**. This led to the opening of the branch **GRIN FRANCE in La Verpillière**, near Lyon, and to the launch of the countries **BELGIUM, HOLLAND** and **SWITZERLAND**, as well as many collaborations with international distributors.





#changeyourperspective

HEADQUARTER  
and BRANCH



**GRIN ITALY**

📍 Via delle Industrie, 13  
23896 Sirtori (Lc) - Italia

☎ +39 039.95.51.98

📱 @grinsrl

📷 mygrin\_ita



**GRIN FRANCE**

📍 Z.I. Le Grand Planot 38290  
La Verpillière - France

☎ +33 (0)4.13.68.09.16

📱 @grinfr

📷 mygrin\_fra

COUNTRY



**GRIN BELGIUM**

☎ +32 (0)473.13.45.05

📱 @grinbelgie

📷 mygrin\_bel



**GRIN HOLLAND**

☎ +32 (0)470.65.21.64

📱 @mygrinnl

📷 mygrin\_nld



**GRIN SWITZERLAND**

☎ +41 (0)55.256.56.00

📱 @grin.schweiz

📷 mygrin\_che

✉ [info@mygrin.it](mailto:info@mygrin.it)



**More than 600 specialised and selected dealers.**



**CHOOSE YOUR DEALER ON [WWW.MYGRIN.EU](http://WWW.MYGRIN.EU)**

**#changeyourperspective**

GRIN ADVISES YOU: